

# < spectra >

## Specialty Equipment – Pro Winnower

*Catalog – Spectra Pro Winnower*



Issue: v1 30 NOV 2019

## SPECTRA PRO WINNOWER



*Includes Patented and Patent Pending features. Product may differ slightly from the picture above.*

**The ideal machine for cocoa processing from bean to bar.**

The most essential part of Bean to Bar process is the separation of dust from the nibs, after the long wait Spectra introduces Professional Winnower "PRO WINNOWER". The need for controlling the speed for separating the dust from the nibs is very much essential. The newly developed model with two electronic speed controller unit allows the speed to be varied from zero to full speed, and at the same time also allows for the unit to be used worldwide.

Multiple control points in the feeder, suction and the flow system allow you to control the degree of separation of the husk from the nibs easily and finely. One or two passes can produce a 99% separation easily.

CE certified motors and electronics provide long lasting service. All food contact parts are in food grade 304 stainless steel. Fine dust collection, adjustable rubber padded legs, robust support all together provide a full package that can be shipped worldwide. Above all, easy to operate.

This amazing “PRO WINNOWER” is the perfect companion to your Bean to Bar endeavors, not only can it separate the dust from the nips other elements can also be used such as peanuts, pistachio and dhal. We have made several key enhancements to the winnower to make it perfect for Chocolate lovers.

## Features

- Long, trouble free operation. No expensive maintenance needed.
- Hopper capacity is 10 Kgs, Waste bag capacity is 30Kgs
- Has 2 speed controllers for feeder and suction power.
- Can run for more than 24 hours continuously.
- The machine is not tall. Thus, better stability, lower center of gravity and ease of running.
- High grade rust proof Stainless steel pipes with food grade plastic components. Stainless Steel 304 grade is standard.
- Multipurpose machine that can be used with various food ingredients.
- Speed controller drive made by the world leader and CE & UL certified
- Ergonomic design
- Detachable parts, assembly can be removed for easy cleaning
- Can run 50kg per hour.
- We have readily available spare parts that can ship worldwide and give you peace of mind

## Specifications

- Input voltage: 220-240 Volts , 50/60 Hz, single phase only.
- A powerful 0.25 HP motor for the Feeder and 0.25HP motor for the blower, CE certified motor
- Comes standards with 2 electronic speed controller and MCB protection
- Weight - Approximate 238 lbs. (108 kgs), LBH Dimensions - 32 x 33 x 64 inches
- *(Note: All specifications are subject to change without notice as products are constantly improved)*